

## PRELIMINARY STUDIES REGARDING THE INCIDENCE OF POTATO VIRUS Y IN SEED POTATOES IN ROMANIA (FOR SEVERAL CULTIVARS)

Carmen Liliana BĂDĂRĂU<sup>1,2</sup>, Sorin Claudian CHIRU<sup>1</sup>, Elena RAKOSY TICAN<sup>3</sup>, Adriana AURORI<sup>3</sup>, Gheorghe OLTEANU<sup>1</sup>, Adrian GHINEA<sup>1</sup>, Andreea NISTOR<sup>1</sup>, Mihaela CIOLOCA<sup>1</sup>

email: badarau\_carmen14@yahoo.com

### Abstract

The farmers income is affected strongly by potato virus diseases. Potato Virus Y has become in the last years one of the most damaging pathogen of potato crop. It can cause serious reduced yield, stand loss and decrease of the tuber's quality. The necrotic and recombinant strains PVY play an important role in the spreading of this virus. Elimination of this pathogen from potato supply is essential for seed production and the choice of resistant varieties to the infection with this virus could be one of the measures recommended for farmers and producers. The results of this preliminary study show that varieties resistant to necrotic strains PVY in our study (samples taken from the regions Brașov, Covasna, Harghita, Cluj, Suceava, in 2014) were the following: Riviera, Bellarosa, Jelly, Roclas, Christian.

**Key words:** potato virus Y, necrotic strains, potato ringspot, necrotic tuber disease

Why are important to know more information about Potato Virus Y? For solving food shortages at the beginning of this millennium, the potato proves to be a product with promising perspectives. Considered by some a common product, cheap food, poor people's food and the plant of poor areas, the potato is actually a product that helps improving the daily diet being rich in carbohydrates, vitamins and minerals. For Romania, the potato is a strategic food, contributing to the national food safety system. Our country is ranked on the third position in Europe in terms of area cultivated with potatoes (after Poland and Germany) (<http://www.insse.ro>).

Virus diseases lead to the reduction of farmer's income from agricultural or national communities. Damages and economic losses are due primarily to the reduction of plant growth leading to reduced production or even its destruction. This is why protective measures of culture against viral infections, diagnosis and control of virus diseases play an important role in potato production technology and multiplication.

Distributed worldwide, *potato virus Y* (PVY, potyvirus genus, family *Potyviridae*) is a major economic disease agent for the crops. This pathogen causes losses in solanaceous crops such potato (*Solanum tuberosum*), tobacco (*Nicotiana*

*tabacum*) and tomato (*Lycopersicon esculentum*) (Cojocaru N. 1987; Lacomme L. *et al.*, 2014). PVY in potato received (in the last period) a big attention because this pathogen is one of the most economically important problems in seed potatoes in the world. This virus is responsible for serious decreases yield and quality tubers, but the main problem in seed potato production is the requirement for a strict PVY tolerance limits for certified lot of seed. High levels of PVY are responsible for the rejection of many seed potato lots. Also, a significant reduction of the crop value was noticed and in a certified seed's shortage, too, especially for certain varieties highly susceptible to PVY infection (Lacomme C. *et al.*, 2014). Damages caused in one year (by reducing production by 50%) on a hectare cultivated with potatoes for consumption at an average production of 20 t/ha amount to 8.000 lei/ha (10.000 kg potato x 0,80 lei/kg = 8.000 lei/ha. If it is affected only 50% of the area cultivated with consumption potato in the country, the produced damage is of 8.000.000.000 lei/year (100,000 ha potato x 8.000 lei/year loss/ha = 8.000.000.000 lei/year).

Massive imports of potato in last decades, the continuous "migration" of seed potatoes from one area to another, climate change, inadequate treatments for disease vector control (especially

<sup>1</sup> National Institute of R-D for Potato and Sugar Beet, Brasov

<sup>2</sup> Faculty of Food and Tourism, Transylvania University, Brasov

<sup>3</sup> Faculty of Biology, Babeș-Bolyai University, Cluj-Napoca

aphids), viral pressure, resistance of varieties are just some of the factors that may favor the spread of aggressive strains of the virus Y that recently appeared in the culture. In order to limit the spread of these infections (PVY necrotic) there are useful to conduct research work for:

- ✓ Determining the spectrum of the virus strains in most cultivated varieties in our country (best known genotypes appreciated by farmers, producers and consumers for their production, nutrition and sensory quality);

- ✓ Estimation of geographical areas with epidemiological risk;

- ✓ Identification, promotion and usage of potato lines and varieties with high resistance or tolerance to infection with necrotic strains of the virus Y;

- ✓ Assessment of necrotic PVY strains ecology;

- ✓ Improvement of potato micro-zoning.

This research work could help the spread limiting of this pathogen by identifying and implementing methodological control solutions of PVY necrotic strains in the context of climate change. This concept includes a holistic approach for the development of innovative technologies to streamline control system of PVY necrotic strains. This requires an evaluation (spatial and temporary) of strains spectrum of potato virus Y, the degree of infection with PVY necrotic recombinant strains in some genotypes in accordance with applied pesticide treatments and climate change in Romania. The main benefits, expected in case of this kind of research work, are the following:

- development of innovative technologies for potato crop protection for seed and consumption in Romania against necrotic ring staining of potato tubers (PRNTD) and infection with PVYNTN recombinant strains, in accordance with the principles of sustainable agriculture.

- identification of national and foreign potato lines and varieties with high resistance or tolerance to infection with these necrotic strains for replacing sensitive cultivated varieties, reducing damage, preventing the spread of necrotic ring staining of potato tubers and keeping under control the put break.

Very short information about the classification of PVY strains. Potato virus Y (PVY) was described for the first time by Smith in 1931 (UK). For a long time, PVY isolates were classified according to foliar systemic and local symptoms (*figure 1*) in three main groups PVY<sup>O</sup>, PVY<sup>N</sup>, PVY<sup>C</sup>, depending on the symptoms induced in *Nicotiana tabacum* and *Solanum*

*tuberosum* varieties (Singh R.P. *et al.*, 2008). While the virus PVY<sup>O</sup> is present all over the world, the virus PVY<sup>N</sup> was mentioned in Europe, South America, Africa, India (Crosslin J.M. *et al.*, 2006; Karasev A.V. *et al.*, 2011). In recent years, PVY isolates were found apparently intermediate between PVY<sup>O</sup> and PVY<sup>N</sup> groups, because they share symptoms, serological and genomic properties with the two groups (Galvino-Costa S.B.F *et al.*, 2012; Valkonen J.P., 2011). Thus relatively recent there were identified new subgroups of viruses PVY<sup>N</sup> (*table 1*):

- PVY<sup>N-Wi</sup> and PVY<sup>N-O</sup> (Valkonen J.P., 2011; Nie X. *et al.*, 2002, Karasev A.V. *et al.*, 2010) that have PVY<sup>N</sup> pathotype and PVY<sup>O</sup> serotype.

- PVY (NTN) often associated with destructive virus that causes PRNTD on sensitive species. More recently, molecular genotype of PVY<sup>NTN</sup> was described as follows: NA-PVY (NTN) (Nie X. *et al.*, 2002, Karasev A.V. *et al.*, 2010) and NE-11 PVY (NTN) (Lorenzen J.H. *et al.*, 2006; Boonham *et al.*, 2002; Lorenzen J.H. *et al.*, 2008). PVY in 2000 was considered quarantine plant pathogen in USA and Canada (Crosslin J.M. *et al.*, 2002).

In the last three decades new PVY strains have emerged, some of them (e.g. PVY<sup>(N)W</sup>) induce barely visible symptoms during the growing season (often being unnoticed during visual inspection) and others (e.g. PVY<sup>(N)NTN</sup>) produce symptoms on tubers, causing the so-called necrotic ring staining of tubers.

Due to the fact that these viral strains may affect the resistance of some potato varieties compared to other strains of the virus Y (PVY<sup>O</sup> and PVY<sup>C</sup>) numerous varieties that were considered resistant passed into the category of sensitive ones, which affected the production of the potato in our country. The damage caused by this pathogen agent is both quantitative (significant reduction of production) and qualitative (commercial depreciation of tubers). In case of cultivation of sensitive varieties under favorable conditions, financial losses can be important both for potato consumption (it can become unmarketable) as for seed potatoes (it will be downgraded or rejected from certification). PVY (NTN) strains produce symptoms on tubers, causing the so-called necrotic ring staining of potato tubers (PNRTD). Being very aggressive, these strains can overcome existing resistance to infection with other strains of potato virus Y (PVY<sup>O</sup> and PVY<sup>C</sup>) (Boonham N. *et al.*, 2002).

Most countries which discovered the presence of necrotic PVY strains have acted to prevent the spread of this pathogen. Initially funds were allocated for research on resistance to infection with this particularly aggressive viral strain, after which there was a drastic revision of

the structure of potato varieties, decision making forums intervening in time to limit expansion of tuber necrotic ring staining induced by PVY necrotic strains that are in a permanent "genetic reviewing-recombination".

Table 1

The classification of necrotic strains of Potato Virus Y (PVY) (after Singh *et al.*, 2008)

Name of necrotic strain	Simiral cod	Description
PVY <sup>N</sup> not recombinant	PVY <sup>EU-N</sup> , PVY <sup>NA-N</sup> , NA-PVY <sup>N</sup> , PVY <sup>R</sup> , PVY <sup>TVN</sup>	Symphoms of tabacco leav, There are'nt isolates that could cause Potato Necrotic Ringspot Tubers Disease
PVY <sup>NTN</sup>	EU-PVY <sup>NTN</sup> , Eu-PVY <sup>NTN</sup> , PVY <sup>EU-NTN</sup> , PVY <sup>NN</sup> , PVY <sup>NA-NTN</sup> , NA-PVY <sup>NTN</sup>	Symphoms of tabacco leav, they could cause Potato Necrotic Ringspot Tubers Disease
PVY <sup>N-Wi</sup>	PVY <sup>N-Wilga</sup> , PVY <sup>N-W</sup> , PVYN-Wi-P, PVY <sup>N:O</sup>	Strains resulted by recombination, phenotipic express as like the PVY <sup>N</sup> strains but serologic have a reaction similary with PVY <sup>O</sup>




Figure 1 A. *Myzus persicae* - one of the PVY vectors (aphicides are not efficient in controlling PVY spread) (Lancomme C. *et al.*, 2014). B. Potato virus Y (virus suspension) (Cojocaru N. *et al.*, 2009). C. Symptoms induced to test plants after PVY mechanical inoculation: leaf of *Nicotiana tabacum*, tubers of susceptible variety. D. Molecular characterization (partial genome sequencing) (Lancomme C. *et al.*, 2014).

In our country, the disease has been reported sporadically in some susceptible potato varieties, beginning in the fall of 1988, in some experimental plots, further more plant protection inspectorates in the country have reported the presence of this disease in the state and private producers (Cojocaru N. *et al.*, 1995). The study aimed to remind some of the most important problems caused by the spread of necrotic strains and to present several preliminary results

regarding the level of infection with necrotic strains PVY of some varieties cultivated in different geographical regions of Romania in 2014.

**MATERIALS AND METHODS**

The potato samples were taken from the following geographical regions of our country

(different potato seed producers and farmers): Brasov, Covasna, Harghita, Cluj and Suceava.

The varieties tested in this research work were:

- Christian, Roclas, Productiv (Romanian varieties);
- Bellarosa, Jelly, Red Fantasy, Carrera, Riviera, Hermes, Desiree (foreign varieties).

The analysis was performed following the protocol Clark and Adams (1977) (Clark M.F. and Adam A.N., 1977) and for testing the tubers (taken in 2014) we used sap from tubers and from their sprouts (Bădărău C.L. *et al.*, 2014). Rinsed microplates filled with substrate solution (p-nitrophenyl-phosphate) were incubated one hour and the absorbance values were estimated at 405 nm ( $A_{405}$ ) using a TecanSunRise reader (software Magellan). The samples that have  $A_{405}$  values exceeding the cut-off (two times the healthy control samples average) were considered PVY infected (Bădărău C.L. *et al.*, 2014). The material was tested for 6 viruses (Potato virus Y, Potato

Leaf roll Virus, Potato virus M, Potato virus X, Potato virus S and Potato virus A) and we keep only the PVY infected material, for identify the samples infected with necrotic strains. This biological material was retested using monoclonal antibodies (mAb) or polyclonal (PCA). The microplates were coating with anti PVY-NOC mAb (Bioreba, Switzerland, antibodies that could recognize all the PVY strains excepting the PVY<sup>O</sup>) and the virus was detected using alcalin phosphatase (AP) linked to anti -PVY-NOC mAb (Bioreba, Switzerland, specific for the strains Y<sup>N</sup>) or linked to anti-PVY-NOC mAb (Bioreba).

## RESULTS AND DISCUSSIONS

The results of the tests made to samples taken from 5 geographical areas of Romania (know like potato seed producers) are presented in brief in the figures 2 and 3.




Figure 2 Results regarding the number of infected samples with PVY (necrotic strains) to the material taken in 2014 (several varieties more cultivated by seed potato producers)

As show in these 2 figures, in case of samples taken in 2014, the highest infection level with necrotic strains of PVY was noticed to varieties Carrera and Red Lady, Hermes and Red Fantasy.

The data presented synthetic in figure 2 and 3 will be used in the future for identify favorable and risk areas and improving potato microzoning (based on spatial and temporary assessment of potato virus Y necrotic strains spectrum, the degree of infection with PVY necrotic strains correlated with climate change in Romania). So the source of the samples tested in this study was several geographical areas, different counties (9 producers from Brasov, 11 farmers from Covasna, 5 from Harghita, 6 from Cluj and 5 from Suceava). Regarding the total number of samples tested, 920

samples were taken from Brasov, 1080 from Covasna, 650 from Harghita, 500 from Cluj and 250 from Suceava.

These results are only preliminary, because we have to continue the experiments minimum 3 years. Because of this reason, this paper didn't purpose to make a statistical analysis. Also, the main objective was to estimate some varieties more resistant to PVY (necrotic strains) cultivated in several counties of Romania. These genotypes very resistant in our study (in the conditions of the studied counties in 2014) were the following: Riviera, Bellarosa, Jelly, Roclas, Christian (figure 2).

Regarding the most favorable regions for seed potato producing (in case of varieties taken in this study) we cannot give more results until this

moment because it is necessary to repeat the experiments in the future. However, some preliminary data are presented in figure 2 and 4. In the context of intensify the measures to prevent and control virus Y, the contribution of this paper to the current state of research will result in estimation of PVY spectrum strains spread to

some genotypes grown in our country in order to assess the degree of infection with necrotic strains of PVY to several national and foreign varieties more cultivated in different geographical areas of the country and to identify some potato varieties with high resistance or tolerance to infection with viruses PVY (necrotic strains).




Figure 3 Source of samples tested (the region from that the samples were taken in 2014)




Figure 4 The number of samples infected with PVY and PVY (N) necrotic strains in function of the region (county) from that the material was taken in 2014

### CONCLUSIONS

In our country, although it is known that financial damage brought by necrotic strains of PVY are major in case of growing susceptible varieties under favorable conditions both for consumption potatoes (it can become unmarketable) and for seed potato (it will be downgraded or rejected from certification), to date there has not been conducted a comprehensive study on a spatial expansion of the spectrum of these viral strains, study that will contribute to the

development of the control of emerging necrotic strains of potato virus Y.

In this preliminary study, between the varieties tested in 2014 (samples taken from the following counties: Cluj, Suceava, Brasov, Harghita and Covasna) the lowest level of infection with necrotic strains PVY had the following genotypes: Riviera, Bellarosa, Jelly, Christian and Roclas.

### ACKNOWLEDGEMENTS

This work was supported by a grant of the Romanian National Authority for Scientific Research,

CNDI-UEFISCDI, PN-II-PT-PCCA-2013-4-0452, project number 178/2014.

## REFERENCES

- Bădărău, C.L., Damșa, F., Chiru, N., 2014** - *Effects of some electrotherapy treatments of PVX infected potato plantlets cv. Roclas, on several biological development indicators.* In: Journal of Horticulture, Forestry and Biotechnology 18(3) : 25- 29.
- Boonham, N., Walsh, K., Preston, S., North, J., Smith, P. and Barker, I., 2002** - *The detection of tuber necrotic isolates of Potato virus Y, and the accurate discrimination of PVY<sup>o</sup>, PVY<sup>N</sup> and PVY<sup>c</sup> strains using RT-PCR.* In: Journal of Virological Methods 102 : 103-112.
- Clark, M.F. and Adams, A.N., 1977** - *Characterization of the microplate method of the enzyme-linked immunosorbent assay for the detection of plant virus.* In: Journal of General Virology 34 : 475-483.
- Cojocaru, N., Bran St., 1995** - *Behavior of some potato varieties to the tuber necrotic ringspot disease caused by PVY.* Lucrare prezentată la "Virology Section Meeting of EAPR". Slovenia: 18-22.
- Cojocaru, N., 1987**- *Viroze în "Protecția cartofului: boli, dăunători, buruieni",* Coordonator Plămădeală B., ed. Ceres: 60-84.
- Crosslin, J.M., P.B. Hamm, D.C. Hane, J. Jaeger, C.R. Brown, P.J. Shiel, P.H. Berger, and R.E. Thornton., 2006** - *The occurrence of PVY<sup>o</sup>, PVY<sup>N</sup>, and PVY<sup>N.°</sup> strains of Potato virus Y in certified potato seed lot trials in Washington and Oregon.* In: Plant Disease 90 : 1102-1105.
- Crosslin, J.M., Hamm, P.B., Eastwell, K.C., Thornton, R.E., Brown, C.R., Corsini, D., Shiel, P.J. and Berger, P.H., 2002** - *First report of the necrotic strain of Potato virus Y (PVY<sup>N</sup>) on potatoes in the northwestern United States.* In: Plant Disease 86 : 1177.
- Crosslin, J.M., P.B. Hamm, P.J. Shiel, D.C. Hane, C.R. Brown, and P.H. Berger., 2005** - *Serological and molecular detection of tobacco vein necrosis isolates of Potato virus Y (PVY<sup>N</sup>) from potatoes grown in the western United States.* In: American Journal of Potato Research 82: 263-269.
- Crosslin, J.M., P.B. Hamm, D.C. Hane, J. Jaeger, C.R. Brown, P.J. Shiel, P.H. Berger, and R.E. Thornton., 2006** - *The occurrence of PVY<sup>o</sup>, PVY<sup>N</sup>, and PVY<sup>N.°</sup> strains of Potato virus Y in certified potato seed lot trials in Washington and Oregon.* In: Plant Disease 90: 1102-1105.
- Galvino-Costa, S.B.F., A. Figueira, V.V. Camargos, P.W. Geraldino, X. Hu, O.V. Nikolaeva, C. Kerlan, and A.V. Karasev., 2012** - *A novel type of Potato virus Y recombinant genome, determined for the genetic strain PVY<sup>E</sup>.* In: Plant Pathology 61: 388-398.
- Karasev, A.V, O.V. Nikolaeva, X. Hu, Z. Sielaff, J. Whitworth, J.H. Lorenzen, and S.M. Gray., 2010** - *Serological properties of ordinary and necrotic isolates of Potato virus Y. a case study of PVYN misidentification.* In: American Journal of Potato Research 87: 1-9.
- Karasev A.V., X. Hu, C.J. Brown, C. Kerlan, O.V. Nikolaeva, J.M. Crosslin, and S.M. Gray., 2011** - *Genetic diversity of the ordinary strain of Potato virus Y (PVY) and origin of recombinant PVY strains.* In: Phytopathology 101: 778-785.
- Lacomme C., Kim Davie, Ross Holmes, Jon Pickup., 2014** - *PVY<sup>N</sup> Prevalence in Potato Crops: Impact of Strain Competition and Ability to Overcome Plant Resistance Mechanisms.* SASA Edinburgh, UK. The 19 Triennial EAPR Conference, 6-12.07.2014, Brussels, Belgium.
- Lorenzen, J.H., L.M. Piche, N.C. Gudmestad, T. Meacham, and P.J. Shiel., 2006** - *A multiplex PCR assay to characterize Potato virus isolates and identify strain mixtures.* In: Plant Disease 90: 935-940.
- Lorenzen, J., P. Nolte, D. Martin, J. Pasche, and N. Gudmestad., 2008** - *NE-11 represents a new strain variant class of Potato virus Y.* In: Archives of Virology 153: 517-525.
- Nie, X., and R.P. Singh., 2002**- *A new approach for the simultaneous differentiation of biological and geographical strains of Potato virus Y by uniplex and multiplex RT-PCR.* In: Journal of Virological Methods 104: 41-54.
- Singh, R.P., Valkonen, J.P., Gray, S.M., Boonham, N., Jones, R.A., Kerlan, C. and Schubert, J., 2008** - *Discussion paper: The naming of Potato virus Y strains infecting potato.* In: Archives of Virology 153: 1-13.
- Valkonen, J.P., 2011**- *Family Potyviridae.* In *Virus taxonomy. Ninth Report of the International Committee on Taxonomy of Viruses*, A. King, M. Adams, E. Carstens, and E. Lefkowitz, (ed.), Oxford: Elsevier, 2011: 1069-1089.
- <http://www.insse.ro> Institutul Național de Statistică, statistici comunicat.

PRINT ISSN: 1454-7414  
ELECTRONIC ISSN: 2069-6727  
CD - ROM 2285-8148

UNIVERSITATEA DE ȘTIINȚE AGRICOLE  
ȘI MEDICINĂ VETERINARĂ  
“ION IONESCU DE LA BRAD” IAȘI

# LUCRĂRI ȘTIINȚIFICE

SERIA AGRONOMIE

VOL. 59, NR. 1

EDITURA “ION IONESCU DE LA BRAD” IAȘI



2016





## COORDONATORII REVISTEI „LUCRĂRI ȘTIINȚIFICE”

**Redactor responsabil:** Prof. dr. Vasile VÎNTU – USAMV Iași

**Redactor adjunct:** Prof. dr. Liviu MIRON – USAMV Iași

### Membri:

- Prof. dr. Costel SAMUIL – USAMV Iași
- Prof. dr. Lucia DRAGHIA – USAMV Iași
- Prof. dr. Paul BOIȘTEANU – USAMV Iași
- Prof. dr. Gheorghe SAVUȚA – USAMV Iași

### COLEGIUL DE REDACȚIE AL SERIEI „AGRONOMIE”

**Redactor șef:** Prof. dr. Costel SAMUIL – USAMV Iași

**Redactor adjunct:** Șef lucrări dr. Florin LIPȘA – USAMV Iași

### Redactori:

- Prof. dr. Wolfgang FRIEDT – Justus-Liebig-Universität Giessen, Germany
- Prof. dr. Bernd HONERMEIER – Justus-Liebig-Universität Giessen, Germany
- Prof. dr. Gerard JITĂREANU – USAMV Iași, România
- Prof. dr. Christos TSADILAS – Institute of Soil Mapping and Classification Larissa, Greece
- Prof. dr. Ioan ȚENU – USAMV Iași, România
- Prof. dr. Ioan ROTAR – USAMV Cluj Napoca, România
- Prof. dr. Roxana VIDICAN – USAMV Cluj Napoca, România
- Prof. dr. Florin IMBREA - USAMV Timișoara, România
- Prof. dr. Karoly BODNAR – Universitatea din Szeged, Ungaria
- Prof. dr. Vito Nicola SAVINO – Universitatea de Studii din Bari, Italia
- Conf. dr. Ion BĂCEAN – Universitatea Agrară de Stat din Chișinău, Republica Moldova
- Prof. dr. Jan MOUDRY Jr. – University of South Bohemia in České Budějovice, Faculty of Agriculture, Czech Republic
- Prof. dr. Petr KONVALINA - University of South Bohemia in České Budějovice, Faculty of Agriculture, Czech Republic
- Prof. dr. Gheorghe CIMPOIEȘ – Universitatea Agrară de Stat din Chișinău, Republica Moldova
- Prof. dr. Boris BOINCEAN – Universitatea Alecu Russo din Bălți, Republica Moldova
- Prof. dr. Andrei BALINSKY – Universitatea Alecu Russo din Bălți, Republica Moldova
- Prof. dr. Adriano CIANI – Perugia University
- Prof. dr. Carmen del CAMPILLO GARCIA – University of Cordoba, Campus of Rabanales, Spania
- Dr. Virginijus FEIZA – Lithuanian Institute of Agriculture, Lithuania

### REFERENȚI ȘTIINȚIFICI:

- Prof. dr. Ioan AVARVAREI – USAMV Iași
- Prof. dr. Mihail AXINTE – USAMV Iași
- Prof. dr. Daniel BUCUR – USAMV Iași
- Prof. dr. Aurel CHIRAN – USAMV Iași
- Prof. dr. Viorica IACOB – USAMV Iași
- Prof. dr. Gerard JITĂREANU – USAMV Iași
- Prof. dr. Paul SAVU – USAMV Iași
- Prof. dr. Teodor ROBU – USAMV Iași
- Prof. dr. Carmenica Doina JITĂREANU – USAMV Iași
- Prof. dr. Gheorghe ȚĂRDEA – USAMV Iași
- Prof. dr. Eugen ULEA – USAMV Iași
- Prof. dr. Vasile VÎNTU – USAMV Iași
- Prof. dr. Teodor IACOB – USAMV Iași
- Prof. dr. Costel SAMUIL – USAMV Iași
- Prof. dr. Costică AILINCĂI – USAMV Iași
- Prof. dr. Stejărel BREZULEANU – USAMV Iași
- Prof. dr. Culiță SÎRBU – USAMV Iași
- Prof. dr. Mihai STANCIU – USAMV Iași
- Prof. dr. Elena GÎNDU – USAMV Iași
- Prof. dr. Gavril ȘTEFAN – USAMV Iași
- Conf. Dr. Feodor FILIPOV – USAMV Iași
- Șef lucrări dr. Florin LIPȘA – USAMV Iași

ISSN 1454-7414

Editat cu sprijinul Ministerului Educației Naționale și Cercetării Științifice

© Editura „Ion Ionescu de la Brad” Iași

Lucrări Științifice - vol. 59(1) 2016, seria Agronomie

## COORDINATORS OF JOURNAL “LUCRĂRI ȘTIINȚIFICE”

**Manager Editor:** PhD, Prof. Vasile VÎNTU – USAMV Iași

**Assistant Editor:** PhD, Prof. Liviu MIRON – USAMV Iași

### Members:

- PhD, Prof. Costel SAMUIL – USAMV Iași
- PhD, Prof. Lucia DRAGHIA – USAMV Iași
- PhD, Prof. Paul BOIȘTEANU – USAMV Iași
- PhD, Prof. Gheorghe SAVUȚA – USAMV Iași

### EDITORIAL BOARD OF “AGRONOMIE”

**Editor-in-chief:** PhD, Prof. Costel SAMUIL – USAMV Iași

**Assistant Editor:** PhD, Lecturer Florin LIPȘA – USAMV Iași

### Editors:

- PhD, Prof. Wolfgang FRIEDT – Justus-Liebig-Universität Giessen, Germany
- PhD, Prof. Prof. dr. Bernd HONERMEIER – Justus-Liebig-Universität Giessen, Germany
- PhD, Prof. Gerard JITĂREANU – USAMV Iași, Romania
- PhD, Prof. Christos TSADILAS – Institute of Soil Mapping and Classification Larissa, Greece
- PhD, Prof. Ioan ȚENU – USAMV Iași, România
- PhD, Prof. Ioan ROTAR – USAMV Cluj Napoca, Romania
- PhD, Prof. Roxana VIDICAN – USAMV Cluj Napoca, Romania
- PhD, Prof. Florin IMBREA – USAMVB Timișoara, Romania
- PhD, Prof. Karoly BODNAR – Universitatea din Szeged, Ungaria
- PhD, Prof. Vito Nicola SAVINO – Universitatea de Studii din Bari, Italia
- PhD, Assoc. Prof. Ion BĂCEAN – State Agricultural University from Chișinău, Republic of Moldova
- PhD, Prof. Jan MOUDRY Jr. – University of South Bohemia in České Budějovice, Czech Republic
- PhD, Prof. Petr KONVALINA – University of South Bohemia in České Budějovice, Czech Republic
- PhD, Prof. Gheorghe CIMPOIEȘ – Universitatea Agrară de Stat din Chișinău, Republic of Moldova
- PhD, Prof. Boris BOINCEAN – Universitatea Alecu Russo din Bălți, Republic of Moldova
- PhD, Prof. Andrei BALINSKY – Universitatea Alecu Russo din Bălți, Republic of Moldova
- PhD, Prof. Adriano CIANI – Perugia University, Italy
- PhD, Prof. Carmen del CAMPILLO GARCIA – University of Cordoba, Campus of Rabanales, Spain
- PhD. Virginijus FEIZA – Lithuanian Institute of Agriculture, Lithuania

### SCIENTIFIC REVIEWERS:

- PhD, Prof. Ioan AVARVAREI – USAMV Iași
- PhD, Prof. Mihail AXINTE – USAMV Iași
- PhD, Prof. Daniel BUCUR – USAMV Iași
- PhD, Prof. Aurel CHIRAN – USAMV Iași
- PhD, Prof. Viorica IACOB – USAMV Iași
- PhD, Prof. Gerard JITĂREANU – USAMV Iași
- PhD, Prof. Paul SAVU – USAMV Iași
- PhD, Prof. Teodor ROBU – USAMV Iași
- PhD, Prof. Carmenica Doina JITĂREANU – USAMV Iași
- PhD, Prof. Gheorghe ȚĂRDEA – USAMV Iași
- PhD, Prof. Eugen ULEA – USAMV Iași
- PhD, Prof. Vasile VÎNTU – USAMV Iași
- PhD, Prof. Teodor IACOB – USAMV Iași
- PhD, Prof. Costel SAMUIL – USAMV Iași
- PhD, Prof. Costică AILINCĂI – USAMV Iași
- PhD, Prof. Stejărel BREZULEANU – USAMV Iași
- PhD, Prof. Culiță SÎRBU – USAMV Iași
- PhD, Prof. Mihai STANCIU – USAMV Iași
- PhD, Prof. Elena GÎNDU – USAMV Iași
- PhD, Prof. Gavril ȘTEFAN – USAMV Iași
- PhD, Assoc. Prof. Feodor FILIPOV – USAMV Iași
- PhD, Lecturer Florin LIPȘA – USAMV Iași

ISSN 1454-7414

Editat cu sprijinul Ministerului Educației Naționale și Cercetării Științifice

© Editura „Ion Ionescu de la Brad” Iași

Lucrări Științifice - vol. 59(1) 2016, seria Agronomie

## CONTENTS

<b>Onder UYSAL, Kamil EKİNCİ</b> <b>THE EFFECTS OF NITROGEN DEFICIENCY ON THE PRODUCTION OF POLYHYDROXYBUTYRATE (PHB) USING <i>SPIRULINA PLATENSIS</i></b> .....	11
<b>Onder UYSAL, F. Ozge UYSAL, Kamil EKİNCİ</b> <b>DETERMINATION OF FERTILIZING CHARACTERISTICS OF THREE DIFFERENT MICROALGAE CULTIVATED IN RACEWAYS IN GREENHOUSE CONDITIONS</b> .....	15
<b>Roxana VIDICAN, Vlad STOIAN, Ioan ROTAR, Florin PĂCURAR, Susana SFECHIȘ</b> <b>OSCILLATION INDUCED BY AGRICULTURAL INPUTS IN MICROBIAL COMMUNITIES FORMED IN SOYBEAN RHIZOSPHERE</b> .....	19
<b>Carmen Gabriela MANOLE, Maria PARASCHIV, Laura MARIN, Mugurași CONSTANTIN, Liliana BĂDULESCU</b> <b>RAGWEED AND BIRTHWORT – ANTIMICROBIAL EVALUATION</b> .....	25
<b>Aurica Breica BOROZAN, Diana RABA</b> <b>EVALUATION OF BACTERIAL COMMUNITY AND OF ACTINOMYCETES COMPOSITION FROM THE <i>ALLIUM URSINUM</i> L SPECIES RHIZOSPHERE</b> .....	31
<b>Sándor RÓZSA, Dănuț-Nicolae MĂNIUȚIU, Rodica SIMA, Tincuța-Marta GOCAN, Ileana ANDREICA</b> <b>RESEARCH ON THE INFLUENCE OF HYBRID, CULTURE SUBSTRATE AND METHOD OF DISINFECTION ON OYSTER MUSHROOMS - <i>PLEUROTUS</i> SPP.</b> .....	35
<b>Emanuel VAMANU</b> <b>THE EFFECT OF A CONSORTIUM PROBIOTIC ADMINISTRATION ON A MICROBIOTA MICROBIOLOGICAL STABILITY</b> .....	39
<b>Carmen Liliana BĂDĂRĂU, Sorin Claudian CHIRU, Elena RAKOSY TICAN, Adriana AURORI, Gheorghe OLTEANU, Adrian GHINEA, Andreea NISTOR, Mihaela CIOLOCA</b> <b>PRELIMINARY STUDIES REGARDING THE INCIDENCE OF POTATO VIRUS Y IN SEED POTATOES IN ROMANIA (FOR SEVERAL CULTIVARS)</b> .....	43
<b>Maria DUCA, Steliana CLAPCO, Angela PORT</b> <b>ANALYSIS OF THE SOIL PARAMETERS IN THE CONTEXT OF SUNFLOWER INFECTION BY <i>Orobanche cumana</i> WALLR.</b> .....	49
<b>Liviu GRUIA, Cristinel Relu ZALĂ, Stelica CRISTEA</b> <b>RESEARCHES ON THE EFFICIENCY OF SOME FUNGICIDES IN MUSTARD ALTERNARIA BLACK SPOT CONTROL</b> .....	53

<b>Andreea-Mihaela BĂLĂU, Florin Daniel LIPȘA, Eugen ULEA</b> <b>EVALUATION OF SOME WHEAT VARIETIES BEHAVIOR TO INFECTION WITH</b> <b>TILLETIA CARIES (D.C.) TUL. ....</b>	<b>57</b>
<b>Cătălina-Ioana IACOB, Andreea-Mihaela BĂLĂU, Florin-Daniel LIPȘA, Eugen ULEA</b> <b>THE INFLUENCE OF PDA, CMA, TA AND V8 CULTURE MEDIA ON THE DEVELOPMENT</b> <b>OF PHYTOPHTHORA INFESTANS DE BARY. AND PHYTOPHTHORA PARASITICA DAST.</b> <b>.....</b>	<b>63</b>
<b>Sergiu PANUȚA, Nicolaie CROITORU, Oana Maria LĂCĂTUȘU (BODESCU)</b> <b>NEW MEANS OF COMBATING PHYTOPHTHORA INFESTANS AND ALTERNARIA SOLANI</b> <b>FUNGI IN POTATO CROP .....</b>	<b>69</b>
<b>Handan ÇULAL-KILIÇ, Nejla YARDIMCI</b> <b>MOLECULAR AND SEROLOGICAL DETECTION OF CUCUMBER MOSAIC VIRUS IN</b> <b>PEPPER GROWING AREAS IN ISPARTA PROVINCE, TURKEY .....</b>	<b>73</b>
<b>Eugen VELICHI</b> <b>THE DYNAMICS OF THE OCCURRENCE AND EVOLUTION OF THE ATTACK OF SOME</b> <b>PATHOGENIC AGENTS ON MELONS IN THE PEDOCLIMATIC CONDITIONS OF THE</b> <b>NORTH – EASTERN BĂRĂGAN IN 2016 .....</b>	<b>77</b>
<b>Nela TĂLMACIU, Mihai TĂLMACIU, Monica HEREA, Ionela MOCANU</b> <b>RESEARCH ON THE FAUNA OF CARABIDAE (COLEOPTERA, CARABIDAE) OF SOME</b> <b>PLUM ORCHARDS IN EASTERN ROMANIA .....</b>	<b>81</b>
<b>Emil GEORGESCU, Radu GARGARITĂ, Lidia CANĂ, Luxita RASNOVEANU</b> <b>PRELIMINARY STUDY CONCERNING CLIMATIC CONDITIONS INFLUENCE FROM</b> <b>WINTER SEASON ON MAIZE LEAF WEEVIL (TANYMECUS DILATICOLLIS GYLL)</b> <b>ATTACK .....</b>	<b>87</b>
<b>Olesea COJOCARU, Rodica MELNIC</b> <b>EARTHWORMS (LUMBRICIDAE) - AN IMPORTANT ROLE IN SOIL FORMATION .....</b>	<b>93</b>
<b>Andreea TICAN, Mihaela CIOLOCA, Nicoleta CHIRU, Carmen BĂDĂRĂU</b> <b>BEHAVIOUR OF DIFFERENT POTATO VARIETIES BY SIMULATING IN VITRO OF</b> <b>HYDRIC STRESS CONDITIONS .....</b>	<b>97</b>
<b>Petr KONVALINA, Marek KOPECKÝ, Jaroslav BERNAS, Jan MOUDRÝ Jr., Karel SUCHÝ,</b> <b>Božena MACHKOVÁ</b> <b>WEED COMPETITIVENESS OF WINTER AND SPRING WHEAT IN ORGANIC FARMING</b> <b>.....</b>	<b>103</b>
<b>Marek KOPECKÝ, Jan MOUDRÝ Jr., Jaroslav BERNAS, Zuzana JELÍNKOVÁ, Petr</b> <b>KONVALINA, Radka VÁCHALOVÁ, Jan MOUDRÝ, Ladislav KOLÁŘ</b> <b>EFFECT OFFERTILIZATION ON THEYIELDS OF TALL WHEATGRASS HARVESTED</b> <b>ONCE A YEAR .....</b>	<b>109</b>

<b>Nina BĂRĂSCU, Maria IANOSI, Edward MUNTEAN, Marcel DUDA, Victor DONESCU</b> <b>THE NPK FERTILIZATION EFFECTS ON CULINARY AND TECHNOLOGICAL POTATO QUALITY .....</b>	<b>113</b>
<b>Radu Hermeziu, Manuela Hermeziu, Maria Stefan</b> <b>COSIANA – NEW ROMANIAN POTATO VARIETY .....</b>	<b>119</b>
<b>Susana Felicia BUTUZA BUMB, E. LUCA, Tincuța BOTA GOCAN, Sandor ROZSA</b> <b>THE INFLUENCES OF THE IRRIGATION, FERTILIZATION AND VARIETIES IN OBTAINING THE ONION CROP, IN MIHAI VITEAZU AREA, CLUJ COUNTY, IN 2014 ...</b>	<b>123</b>
<b>Susana Felicia BUTUZA BUMB, E. LUCA, Tincuța BOTA GOCAN, Sandor ROZSA</b> <b>THE INFLUENCE OF THE INTERACTION OF SOME TECHNOLOGICAL FACTORS UPON THE ONION CROP, SOWN IN 2015 .....</b>	<b>127</b>
<b>Alexandra LEONTE, Constantin GĂUCĂ, Simona – Florina POCHIȘCANU, Alexandra – Andreea BUBURUZ, Teodor ROBU, Cătălina DRUȚU</b> <b>RESEARCHES REGARDING THE INFLUENCE OF „SECUIENI METHOD” ON SEED YIELDS AT MONOECIOUS HEMP (CANNABIS SATIVA L.) CULTIVATED IN THE PEDOCLIMATIC CONDITIONS OF CENTRAL MOLDAVIA.....</b>	<b>131</b>
<b>Cornelia LUPU, Simona - Florina POCHIȘCANU, Margareta NAIE, Alexandra-Andreea BUBURUZ</b> <b>RESEARCH REGARDING THE LONG-TERM FERTILIZATION ON THE WINTER WHEAT YIELD, AT A.R.D.S. SECUIENI .....</b>	<b>135</b>
<b>Simona-Florina POCHIȘCANU, Alexandra-Andreea BUBURUZ, Lorena Diana POPA, Paula Lucelia URSACHE, Alexandra LEONTE</b> <b>RESEARCHES REGARDING THE INFLUENCE OF SOME TECHNOLOGICAL ELEMENTS ON THE YIELD LEVELS OF SOYBEAN CROP IN THE CENTRAL OF MOLDAVIA PEDOCLIMATIC CONDITIONS PAPER TITLE.....</b>	<b>143</b>
<b>Daniela MIHALACHE, Carmen Eugenia SÎRBU, Traian Mihai CIOROIANU, Adriana Elena GRIGORE, Nicoleta MĂRIN, Ana Maria STĂNESCU, Bogdan RUJOL, Mariana IANCU</b> <b>STUDY ON THE EFFICIENCY AND MOBILITY OF DIFFERENT FORMS OF NITROGEN FROM FOLIAR FERTILIZERS BY USING OF <sup>15</sup>N ISOTOPE .....</b>	<b>147</b>
<b>Nicoleta MĂRIN, Mihail DUMITRU, Carmen Sîrbu, Daniela MIHALACHE, Adriana GRIGORE, Ana-Maria STĂNESCU</b> <b>EFFICIENCY OF FOLIAR FERTILIZATION ON WHEAT PRODUCTION IN CONVENTIONAL AND CONSERVATION AGRICULTURE.....</b>	<b>153</b>
<b>Despina-Maria BORDEAN, Diana RABA, Simion ALDA, Sofia PINTILIE, Aurica Breica BOROZAN, Monica HARMANESCU, Luminita PIRVULESCU</b> <b>MUSHROOMS, THE MIRACLE OF NATURE, A TREAT TO HUMAN HEALTH .....</b>	<b>157</b>
<b>Andrei SIURIS, Vasile PLĂMĂDEALĂ, Tatiana CIOLACU</b> <b>RESEARCH ON AGRONOMIC AND ECONOMIC EFECTIVENESS OF WASTES FROM THE WINE INDUSTRY USED AS FERTILIZER IN THE REPUBLIC OF MOLDOVA .....</b>	<b>161</b>

<b>Monica HĂRMANESCU</b> <b>ORGANIC VS. MINERAL INPUT EFFECTS ON TOTAL PROTEIN CONTENT IN SUMMER OF SPONTANEOUS FLORA OF A HILL PERMANENT GRASSLAND FROM BANAT COUNTY .....</b>	<b>165</b>
<b>Monica HĂRMANESCU</b> <b>FERTILISATION IMPACT ON TOTAL FIBRE CONTENT OF A BANAT HILL GRASSLAND SPONTANEOUS FLORA IN SPRING .....</b>	<b>171</b>
<b>Margareta NAIE, Elena TROTUȘ, Alexandra-Andreea BUBURUZ, Cornelia LUPU, Alexandra LEONTE</b> <b>RESEARCH REGARDING THE BEHAVIOUR OF SOME PERENNIAL GRASSES AND LEGUMES MIXTURES IN ORDER TO ESTABLISH TEMPORARY GRASSLAND EXPLOITED IN MEADOW REGIME .....</b>	<b>177</b>
<b>Mihai STAVARACHE, Costel SAMUIL, Doina TARCĂU, Vasile VÎNTU1</b> <b>EVOLUTION AND RELATIONSHIP OF SOME MACRO MINERALS IN <i>MEDICAGO SATIVA</i> L. PLANTS .....</b>	<b>183</b>
<b>Cătălina (CIOBANU) BOUREANU, Mihai STAVARACHE, Costel SAMUIL, Vasile VÎNTU</b> <b>INFLUENCE OF FERTILIZATION ON FORAGE QUALITY OF THE SIMPLE MIXTURES BETWEEN <i>BROMUS INERMIS</i> LEYSS. AND <i>ONOBRYCHIS VICIFOLIA</i> SCOP.....</b>	<b>189</b>
<b>Valentina ANDRIUCA, Ion BACEAN, Daniela DUBIT, Nicolai CAZMALI, Lucia MACRII, Rodica MELNIC, Vasile BEJAN</b> <b>THE PARTICULARITIES OF ROOT SYSTEM DEVELOPMENT IN WINTER WHEAT GROWN ON CARBONATE CHERNOZEM .....</b>	<b>193</b>
<b>Tamara LEAH</b> <b>THE INFLUENCE OF SOIL TILLAGE ON THE SOME PHYSICAL INDICATORS OF CHERNOZEM CAMBIC FROM MOLDOVA .....</b>	<b>197</b>
<b>Anca-Elena CALISTRU, Irina Gabriela CARA, Denis ȚOPA, Gerard JITĂREANU</b> <b>ANALYZING SOIL POROSITY UNDER DIFFERENT TILLAGE SYSTEMS USING X-RAY MICROTOMOGRAPHY .....</b>	<b>201</b>
<b>Stejărel BREZULEANU, Carmen Olguța BREZULEANU, Carmen Luiza COSTULEANU, Mihaela LUPU, Dragoș ROBU, Marius SCARLAT</b> <b>STRATEGIES AND TOOLS FOR DISPOSAL OF SOCIAL DISEQUILIBRIUM FROM THE RURAL AREA THROUGH GROUPS OF LOCAL ACTION .....</b>	<b>205</b>
<b>Vecdi DEMIRCAN, Deniz SARICA, Duygu SERT</b> <b>CURRENT STATUS AND DEVELOPMENT IN BEEKEEPING SECTOR IN TURKEY AND IN THE WORLD .....</b>	<b>211</b>
<b>Artur GOLBAN, Valeriu DOGA</b> <b>VALUE CHAIN ANALYSIS OF FRESH TOMATOES – CONSTRAINTS AND OPPORTUNITIES .....</b>	<b>219</b>

<b>Artur GOLBAN</b> <b>THE ANALYSIS OF THE ECONOMIC REFORMS IN THE AGRI-FOOD SECTOR AND THEIR IMPACT ON COMPETITIVENESS INCREASING OF THE MOLDOVAN AGRICULTURAL ENTERPRISES</b> .....	225
<b>Andrea FEHER, Tabita ADAMOV, Miroslav RAICOV</b> <b>ANALYSES OF BUSINESS DEVELOPMENT AT THE LEVEL OF TIMIS COUNTY</b> .....	229
<b>Aurel LUP, Liliana MIRON, Indira ALIM</b> <b>PAYMENT SYSTEMS FOR IRRIGATION WATER IN ROMANIA</b> .....	235
<b>Florin SALA, Ciprian RUJESCU, Andrea FEHER</b> <b>THE EVOLUTION SCENARIO FOR THE AVERAGE WHEAT YIELD IN THE WEST OF ROMANIA</b> .....	239
<b>Gabriela IGNAT, Andreea Alexandra TIMOFTE, Florentina ACOSTĂCHIOAIE</b> <b>GREEN ACCOUNTING VS SUSTAINABLE DEVELOPMENT</b> .....	245
<b>George UNGUREANU, Eduard BOGHITĂ, Dan BODESCU, Dan DONOSĂ, Cătălin Răzvan VÎNTU</b> <b>OPTIMISING PRODUCTION STRUCTURE OF AGRICULTURAL HOLDINGS AS A RESULT OF THEIR ADAPTATION TO MARKET REQUIREMENTS</b> .....	249
<b>George UNGUREANU, Eduard BOGHITĂ, Dan BODESCU, Radu MORARU, Cătălin Răzvan VÎNTU</b> <b>STUDIES REGARDING THE DEVELOPMENT OF AGRICULTURAL PRODUCTION IN THE NE REGION OF ROMANIA</b> .....	255
<b>Radu-Adrian MORARU, Stejărel BREZULEANU, Andrei MELNICIUC, Carmen Olguta BREZULEANU</b> <b>ASPECTS CONCERNING THE HUMAN RESOURCES MANAGEMENT AT SC COMFERT SRL BACĂU</b> .....	261
<b>Radu-Adrian MORARU, George UNGUREANU, Dan BODESCU, Dan DONOSĂ</b> <b>MOTIVATIONS AND CHALLENGES FOR ENTREPRENEURS IN AGRITOURISM</b> .....	267
<b>Alexandru-Dragoș ROBU, Stejărel BREZULEANU, Mioara BORZA, Gabriela BOLDUREANU, Marius-Cristian TOMA, Carmen Luiza COSTULEANU</b> <b>AN ANALYSIS OF S.C. AGROMIXT SPINENI S.R.L. AGRICULTURAL COMPANY'S EVOLUTION AS AN EUROPEAN FUNDS BENEFICIARY</b> .....	273
<b>Valeriu MOCA, Loredana CRENGANIȘ, Oprea RADU, Cristian HUȚANU, Constantin SAVU</b> <b>DRAWING UP THE NUMERICAL MODEL FOR THE FIELD RELIEF BASED ON THE DETAILED TOPOGRAPHIC ELEVATIONS PERFORMED IN THE UNDERGROUND PIPE DRAINAGE SYSTEMS</b> .....	277
<b>Valeriu MOCA, Cristian HUȚANU, Oprea RADU, Mihaela CÂRDEI</b> <b>THE USE OF MAP PROJECTIONS IN THE TOPOGRAPHIC AND CADASTRAL WORKS OF IASI CITY</b> .....	283

<b>Cristian HUȚANU, Oprea RADU, Dan PĂDURE</b> <b>UPDATING OF CADASTRAL DATABASE WITH A VIEW TO THE CREATION OF</b> <b>VINEYARDS AND FRUIT TREES .....</b>	<b>289</b>
<b>Oprea RADU</b> <b>AGRICULTURAL LAND QUALITY IN ION NECULCE COMMUNE, IAȘI COUNTY .....</b>	<b>295</b>
<b>Oprea RADU, Cristian HUȚANU, Daniel CUREA, Oleg HORJAN</b> <b>LAND QUALITY AND PRODUCTIVITY ASSESSMENT DATABASE CONCERNING THE</b> <b>AGRICULTURAL LAND OF ION NECULCE COMMUNE, IAȘI COUNTY .....</b>	<b>301</b>
<b>Radu ROȘCA, Ciprian CHIRUȚĂ, Virgil VLAHIDIS, Radu George CIORAP</b> <b>PRELIMINARY TESTS REGARDING THE OPERATING CONDITIONS AND MODELING OF</b> <b>THE ENERGY CONSUMPTION FOR A DOMESTIC REFRIGERATOR .....</b>	<b>307</b>
<b>Constantin CHIRILĂ, Dan CAZACU</b> <b>INFLUENCE OF SLIPPING OF DRIVE BELT FROM DISTRIBUTION DEVICE AND</b> <b>SLIPPING OF SUPPORTING WHEEL, DRIVING WHEEL OF DISTRIBUTION DEVICES ON</b> <b>SOWING PRECISION, IN CASE OF A SOWING MACHINE FOR EXPERIMENTAL FIELDS</b> <b>.....</b>	<b>313</b>